

Department of Defense Index of Specifications and Standards



DODISS NOTICE

1 August 2006

For Period 15 July 2006 to 31 July 2006

Vol. 14 / No. 6

DODISS NOTICE

If you rely on the DODISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DODISS then we encourage you to register for your ASSIST Online account (there is no charge for this).

Once you have your account you can take advantage of the ASSIST Alert Service. Simply establish your ASSIST Alert Portal profile, for more information visit our ASSIST web site at:

<http://assist.daps.dla.mil>

Documents listed in this notice have either an indicator of “N” (new), or “M” (modified).

“N” - indicates that this is a new document that has been entered into our database.

“M” - indicates that a modification has taken place to our database. This could be a revision to a document or an amendment / change / notice to an existing document.

ACTIVE SECTION

DODISS NOTICE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-70775B	Cartridge, 25MM: Target Practice, Discarding Sabot with Trace (TPDS-T), M910 [CUST: AR]	A	1305		AR	01-JUN-2006
M	MIL-PRF-71140A	Cartridge, 25MM: Target Practice with Trace (TP-T), M793 [CUST: AR]	A	1305		AR	01-JUN-2006
M	MIL-DTL-0063092B	Cartridges, 40MM, White Star, Parachute, M583A1 Green Star, Parachute, M661 Red Star, Parachute, M662 Metal Parts and Loading, Assembling [CUST: AR]	A	1310		AR	05-APR-2004
N	JSSG-2011	Air Vehicle / Ship Integration [CUST: AS 11]	D	15GP		AS	26-JUL-2006
M	QPL-7605-15	Regulator, Oxygen, Demand, Pressure Breathing, Type A-21	A	1660		71	20-JUL-2006
M	MIL-DTL-44076B	Lowering Line Assembly [CUST: GL2 AS]	A	1670		GL2	31-JUL-2006
M	A-A-58026B	Tractor, Aircraft Towing, U-30 [CUST: AV 99] [REVIEW: MI]	A	1740	/	84	31-JUL-2006
M	A-A-59210C	Tractor, Aircraft Towing, MB-4 [CUST: 99]	A	1740	/	84	31-JUL-2006
M	MS21444 NOT 3	Tire, Pneumatic, Aircraft, 36X11 [CUST: 99] [REVIEW: GS]	A	2620		70	27-JUL-2006
M	MS21780 NOT 3	Tire - Pneumatic Rebuilt Type VIII 30 X 11.5-14.5/24 PR [CUST: 99] [REVIEW: CC GS]	A	2620		70	27-JUL-2006
M	MS21781 NOT 2	Tire - Pneumatic Type VIII 30 X 11.5 - 14.5/26 PR [CUST: 99] [REVIEW: CC GS]	A	2620		70	27-JUL-2006
M	MS22078 NOT 3	Tire Rebuilt 26 X 6.6/14PR [CUST: AS 99] [REVIEW: CC GS]	A	2620		70	27-JUL-2006
M	MS22080 NOT 3	Tire - Pneumatic Rebuilt, Type III 12.50-16/12 PR [CUST: AS 99] [REVIEW: CC GS]	A	2620		70	27-JUL-2006
M	MS22081 NOT 3	Tire, Pneumatic New Type III 20.00-20/26PR [CUST: AS 99] [REVIEW: CC GS]	A	2620		70	27-JUL-2006
M	MS27811A(1) NOT 1	Tire - Pneumatic Retread, Type VII 49 X 17/26 PR [CUST: 99] [REVIEW: GS]	A	2620		70	27-JUL-2006
M	MS27813A NOT 3	Tire Pneumatic Retread, Type VII 56 X 16 / 38 PR 250 MPH [CUST: AS 99] [REVIEW: CC GS]	A	2620		70	27-JUL-2006
M	MS27815C(1) NOT 2	Tire - Pneumatic Rebuilt, Type VII 44 X 16, 28 PR [CUST: 99] [REVIEW: GS]	A	2620		70	27-JUL-2006
M	MS27817B(1) NOT 2	Tire - Pneumatic Rebuilt, Type V11 36 X 11/22 PR [CUST: 99] [REVIEW: GS]	A	2620		70	27-JUL-2006
M	MS27818A NOT 3	Tire Pneumatic Retread, Type VII 38 X 11 / 14 PR [CUST: AS 99] [REVIEW: CC GS]	A	2620		70	27-JUL-2006
M	MS27823A NOT 3	Tire - Pneumatic Rebuilt, Type VII 20.00-20/26 PR [CUST: AS 99] [REVIEW: CC GS]	A	2620		70	27-JUL-2006
M	MIL-DTL-6193D(1)	Joint, Universal, Plain, Light and Heavy Duty, General Specification for [CUST: AR AS 99 CC] [REVIEW: 71 AV CG CR4 MC SA]	A	3010		CC	10-JUL-2006
M	A-A-55555A NOT 1	Duster, Manually-Operated Tubular-Pump Manually Carried [CUST: MD MC 99 GS7] [REVIEW: 84 MS PM]	A	3740	/	GS7	24-JUL-2006
M	A-A-59141A	Truck, Lift, Fork, Electric, Solid-Tired, 2,000 Pounds Capacity At 24 Inch Load Center, 144 Inch Lift Height [CUST: AT SA 99]	A	3930	/	84	25-JUL-2006
M	MIL-PRF-44493A	Heater, Space - Convective, Self-Powered, Liquid Fuel, SHC [CUST: GL YD 99] [REVIEW: 35 84 CC MC MD1 QM1]	A	4520		GL	26-JUN-2006
M	MIL-PRF-44494A	Heated, Space - Radiant, Non-Powered, Liquid & Solid Fuel [CUST: GL YD 99] [REVIEW: 84 IS MC MD1 QM1]	A	4520		GL	26-JUN-2006
M	FF-L-2937(1)	Combination Lock, Mechanical [CUST: AR 99 IS]	A	5340	*	IS	22-MAY-2006
M	MIL-PRF-20/27F NOT 1	Capacitors, Fixed, Ceramic Dielectric (Temperature Compensating), Established and Non-Established Reliability, Styles CCR75 and CC75 [CUST: CR EC 11 CC] [REVIEW: AS MC OS SH]	A	5910		CC	25-JUL-2006
M	MIL-PRF-20/28C NOT 1	Capacitors, Fixed, Ceramic Dielectric (Temperature Compensating), Established and Non-Established Reliability, Styles CCR76 and CC76 [CUST: CR EC 11 CC] [REVIEW: AS AV MC MI OS]	A	5910		CC	25-JUL-2006
M	MIL-PRF-20/29D NOT 1	Capacitors, Fixed, Ceramic Dielectric (Temperature Compensating), Established and Non-Established Reliability, Styles CCR77 and CC77 [CUST: CR EC 11 CC] [REVIEW: AS MC OS SH]	A	5910		CC	25-JUL-2006
M	MIL-PRF-20/30C NOT 1	Capacitors, Fixed, Ceramic Dielectric (Temperature Compensating), Established and Non-Established Reliability, Styles CCR78 and CC78 [CUST: CR EC 11 CC] [REVIEW: AS MC OS SH]	A	5910		CC	25-JUL-2006
M	MIL-PRF-20/31B NOT 1	Capacitors, Fixed, Ceramic Dielectric (Temperature Compensating), Established and Non-Established Reliability, Styles CCR79 and CC79 [CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS SH]	A	5910		CC	25-JUL-2006
M	MIL-PRF-20/35J NOT 1	Capacitors, Fixed, Ceramic Dielectric (Temperature Compensating), Established and Non-Established Reliability, Styles CCR05, CC05, CCR09, and CC09 [CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS SH]	A	5910		CC	25-JUL-2006
M	MIL-PRF-20/36F NOT 1	Capacitors, Fixed, Ceramic Dielectric (Temperature Compensating), Established and Non-Established Reliability, Styles CCR06 and CC06 [CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS SH]	A	5910		CC	25-JUL-2006
M	MIL-PRF-20/37E NOT 1	Capacitors, Fixed, Ceramic Dielectric (Temperature Compensating), Established and Non-Established Reliability, Styles CCR07 and CC07 [CUST: CR EC 11 CC] [REVIEW: AS AV MC OS SH]	A	5910		CC	25-JUL-2006
M	MIL-PRF-20/38B NOT 1	Capacitors, Fixed, Ceramic Dielectric (Temperature Compensating) Established and Non-Established Reliability, Styles CCR08 and CC08 [CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS SH]	A	5910		CC	25-JUL-2006
M	QPL-55365-80	Capacitor, Fixed, Electrolytic (Tantalum), Chip, Established Reliability and Nonestablished Reliability, General Specification for	A	5910		CR	27-JUL-2006
M	A-A-59533A	Fuseholder, Block, 5 Ampere (A), 125 Volts (V) AC/DC, Surface Mount (SM), General Requirements For [CUST: EC CC]	A	5920	/	CC	19-JUL-2006
M	MIL-DTL-32139A	Connectors, Electrical, Rectangular, Nanominiature, Polarized Shell, General Specification for [CUST: CR EC 11 CC]	A	5935		CC	23-JUN-2006
M	MIL-DTL-32139/1A	Connectors, Electrical, Rectangular, Nanominiature, Single Row, Plug, Polarized Shell, Pin Contacts, Crimp Type [CUST: CR EC 11 CC]	A	5935		CC	23-JUN-2006
M	MIL-DTL-32139/2A	Connectors, Electrical, Rectangular, Nanominiature, Single Row, Receptacle, Polarized Shell, Socket Contacts, Crimp Type [CUST: CR EC 11 CC]	A	5935		CC	23-JUN-2006
M	MIL-DTL-32139/3A	Connectors, Electrical, Rectangular, Nanominiature, Dual Row, Plug, Polarized Shell, Pin Contacts, Crimp Type [CUST: CR EC 11 CC]	A	5935		CC	23-JUN-2006
M	MIL-DTL-32139/4A	Connectors, Electrical, Rectangular, Nanominiature, Dual Row, Receptacle, Polarized Shell, Socket Contacts, Crimp Type [CUST: CR EC 11 CC]	A	5935		CC	23-JUN-2006
M	QPL-AS81714-1	Terminal Junction System (TJS), Environment Resistant, General Specification for	A	5940		AS	10-JUL-2006
N	SAE-AS81714	Terminal Junction System (TJS), Environment Resistant, General Specification for [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/10	Terminal Junction Systems, Rack Assembly, Track, Feedthru Type, Series I [CUST: CR AS 11] [REVIEW: AT AV EC GS MI OS]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/14	Terminal Junction System, Rack Assembly, Track, Feedthru Type, Light Weight, Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS]	A	5940		AS	10-JUL-2006

ACTIVE SECTION

DODISS NOTICE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
N	SAE-AS81714/15	Terminal Junction System, Grounding Stud, Series I [CUST: CR AS] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/16	Terminal Junction System, Rack Assembly, Track, Feedback Type, Light Weight, Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/17	Terminal Junction System, Terminal Junction Blocks, Sectional, Bussing Modules, Feedback Type, Size 22D, Series I [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/18	Terminal Junction System, Terminal Junction Blocks, Sectional, Modules, Electronic, Feedback Type, Size 20, Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/19	Terminal Junction System, Terminal Junction Blocks, Sectional, Modules, Electronic, Feedback Type, Size 16, Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/20	Terminal Junction System, Terminal Junction Blocks, Sectional, Modules, Electronic, Feedback Type, Size 12, Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/21	Terminal Junction System, Terminal Junction Blocks, Electronic, In-Line Junctions, Integral Diode, Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/22	Terminal Junction System, Terminal Junction Blocks, Electronic, In-Line Junction, Integral Resistor, Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/23	Terminal Junction System, Terminal Junction Blocks, Electronic, In-Line Junctions, Integral Fuse, Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/24	Terminal Junction System, Terminal Junction Blocks, Sectional, In-Line Junctions, Double, Integral Diode(s), Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/25	Terminal Junction System, Terminal Junction Blocks, Sectional, Modules, Electronic, Feedback Type, Size 20-1, Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
M	SAE-AS81714/26	Terminal Junction System, Terminal Junction Blocks, Sectional, Modules, Electronic, Feedback Type, Size 20-2, Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/27	Terminal Junction System, Terminal Junction Blocks, Sectional, Grounding Modules, Stud Type Mounting, Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/28	Terminal Junction System, Terminal Junction Blocks, Grounding Modules, Integral Bracket Mounting, Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/29	Terminal Junction System, Bracket, Block Mounting, Series I [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/30	Terminal Junction System, Terminal Junction Blocks, Sectional, Modules, Electronic, Feedback Type, Sizes 20-3, 20-4, 20-5 Vertical Mounting with Integral Bracket, Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/31	Terminal Junction System, Terminal Junction Blocks, Electronic, Modules, Feedback Type, Sizes 20-6, 20-7, 20-8 Horizontal Mounting with Integral Bracket, Series I [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/60	Terminal Junction System, Terminal Junction Blocks, Sectional, Bussing Modules, Feedback Type, Series II [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/61	Terminal Junction System, Terminal Junction Blocks, Sectional, Bussing Modules, Feedback Type, Series II [CUST: CR AS 11 GS2] [REVIEW: 99 AT AV EC GS OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/63	Terminal Junction System, Terminal Junction Blocks, Sectional, Grounding Modules, Stud and Flange Type Mounting, Series II [CUST: CR AS 11]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/65	Terminal Junction System, Terminal Junction Blocks, Sectional, Wire In-Line Junctions, Series II [CUST: CR AS 11] [REVIEW: AT AV EC OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/67	Terminal Junction System, Rack Assembly, Track, Feedback Type, Series II [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS OS SH]	A	5940		AS	10-JUL-2006
N	SAE-AS81714/69	Terminal Junction System, Block Removal Tools, Series II [CUST: CR AS 11 GS2] [REVIEW: 99 AT AV EC GS OS SH]	A	5940		AS	10-JUL-2006
M	MIL-PRF-39016/14E	Relays, Electromagnetic, Established Reliability, 4PDT, Low Level To 2 Amperes (0.150-Inch Terminal Spacing) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5945		CC	31-JUL-2006
M	MIL-PRF-39016/36C	Relays, Electromagnetic, Established Reliability, Hermetically Sealed, 4PDT, Low Level to 2 Amperes (.150-Inch Terminal Spacing), Latching, with Internal Diodes for Coil Transient Suppression and Reverse Polarity Protection [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5945		CC	31-JUL-2006
M	MIL-PRF-19500/117P	Semiconductor Devices, Diode, Silicon, Voltage Regulator, Types 1N962B-1 through 1N992B-1, and 1N962BUR-1 through 1N992BUR-1, 1N962C-1 through 1N992C-1, and 1N962CUR-1 through 1N992CUR-1, and 1N962D-1 through 1N992D-1, 1N962DUR-1 through 1N992DUR-1, JAN, JANTX, JANTXV, and JANHC [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]	A	5961		CC	25-JUL-2006
M	MIL-PRF-19500/225H	Semiconductor Device, Transistor, NPN, Silicon Types 2N1711, 2N1711S, 2N1890, and 2N1890S, JAN and JANTX [CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AV MC MI SM]	A	5961		CC	25-JUL-2006
M	MIL-PRF-19500/297F	Semiconductor Device Diode, Silicon, Power Rectifier, Types 1N1184, 1N1186, 1N1188, 1N1190, 1N3766, 1N3768, 1N1184R, 1N1186R, 1N1188R, 1N1190R, 1N3766R, 1N3768R, JAN, JANTX, and JANTXV [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SM]	A	5961		CC	19-JUL-2006
M	MIL-PRF-19500/366L	Semiconductor Device, Transistor, NPN, Silicon, Amplifier, Types 2N3498, 2N3498L, 2N3498U4, 2N3499, 2N3499L, 2N3499U4, 2N3500, 2N3500L, 2N3500U4, 2N3501, 2N3501L, 2N3501UB, and 2N3501U4, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	26-JUL-2006
M	MIL-PRF-19500/370F	Semiconductor Device, Transistor, NPN, Silicon, High-Power, Type 2N3442, JAN, JANTX, And JANTXV [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI]	A	5961		CC	31-JUL-2006
M	MIL-PRF-19500/392H	Semiconductor Device, Transistor, PNP, Silicon, Switching, Types 2N3485A and 2N3486A, JAN, JANTX, and JANTXV [CUST: CR EC 11 CC] [REVIEW: 19 71 99 AS AV MC MI SM]	A	5961		CC	31-JUL-2006
M	MIL-PRF-19500/535C	Semiconductor Device, Transistor, PNP, Silicon, Power Types 2N5003, and 2N5005, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: 11 CC NA] [REVIEW: 19 99]	A	5961		CC	31-JUL-2006
M	MIL-PRF-19500/590G	Semiconductor Device, Diode, Silicon, Ultrafast Recovery, Power Rectifier, 1N6626 through 1N6631, 1N6626U through 1N6631U, 1N6626US through 1N6631US, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961		CC	25-JUL-2006

ACTIVE SECTION

DODISS NOTICE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-PRF-19500/596H	Semiconductor Device, Repetitive Avalanche, Field Effect, Transistor, N-Channel, Silicon, Types 2N7218, 2N7219, 2N7221, 2N7222, 2N7218U, 2N7219U, 2N7221U, 2N7222U, JAN, JANTX, JANTXV, JANS, JANHC, And JANKC [CUST: CR EC 11 CC NA] [REVIEW: 19 AS MC MI SM]	A	5961		CC	24-JUL-2006
M	MIL-PRF-19500/656 NOT 1	Semiconductor Device, Diode, Silicon, Schottky, Power Rectifier, Common Cathode or Common Anode Center Tap, Types 1N6785 and 1N6785R JAN, JANTX, JANTXV and JANS [CUST: CR EC 11 CC NA]	A	5961		CC	25-JUL-2006
M	MIL-PRF-19500/671(1) NOT 1	Semiconductor Device, Diode, Silicon, Schottky Power Rectifier, Common Cathode or Anode Center Tap, Types 1N6828, 1N6828R, 1N6833, 1N6833R, 1N6828U3 and 1N6833U3 JAN, JANTX, JANTXV, JANS [CUST: CR EC 11 CC NA]	A	5961		CC	25-JUL-2006
N	MIL-PRF-19500/738	Semiconductor Device, Transistor, NPN, Silicon, Power Darlington, Types 2N7575, 2N7576, And 2N7577, JAN, JANTX, JANTXV, And JANS [CUST: CR EC 11 CC NA]	A	5961		CC	24-JUL-2006
M	MIL-D-28803/1D NOT 2	Display, Optoelectronic, Segmented Readout, Backlighted, Style II (Light Emitting Diodes), RFI Shielded, Moisture Sealed, High Impact Shock, Type, RO1 [CUST: CR EC 11] [REVIEW: 99 AR AS AT AV CR4 MC MI OS]	A	5980		CC	24-JUL-2006
M	MIL-D-28803/2A NOT 2	Display, Optoelectronic, Segmented Readout, Segmented, Style I (RFI Shielded, Moisture Sealed, High Impact Shock) Type RO2 [CUST: CR 11 GS] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH]	A	5980		CC	24-JUL-2006
M	MIL-D-28803/4C NOT 2	Display, Optoelectronic, Indicator, Digital, Incandescent (Style I), Segmented, DOT Pattern and Bar Pattern, Type RO4 (Replacement Parts for Type RO3 Display Assembly) [CUST: EC 11] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH]	A	5980		CC	24-JUL-2006
M	MIL-DTL-3933H(1) SUP 1A	Attenuators, Fixed, General Specification for [CUST: CR EC 11 CC] [REVIEW: 71 99 AS MC MI NA SH]	A	5985		CC	01-AUG-2006
M	MIL-DTL-3933/10E	Attenuators, Fixed Coaxial Line (Series N), Frequency Range: DC To 18 GHZ, Class III, Medium Power [CUST: CR EC 11 CC] [REVIEW: 99 AS MC MI SH]	A	5985		CC	25-JUL-2006
M	MIL-DTL-3933/29	Attenuators, Fixed, Chip, (Surface Mount), 0-20 dB, Frequency Range: DC To 18 GHZ [CUST: CR EC 11 CC]	A	5985		CC	01-AUG-2006
M	QPL-28876-30	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Termini, General Specification for	A	6060		SH	27-JUL-2006
M	MIL-DTL-83413/8B	Connectors and Assemblies, Electrical, Aircraft Grounding: Type IV Jumper Cable Assembly, Lead, Electrical [CUST: AV AS 11 CC] [REVIEW: 02 71 99 AR CR CR4 GS MC MI]	A	6150		CC	01-JUN-2006
M	MIL-L-3661/8B NOT 2	Housings, Indicator-Light, Style LH76 [CUST: CR4 AS 99 IS]	A	6210		IS	24-JUL-2006
M	MIL-L-3661/24B NOT 3	Lenses, Indicator-Light, Style LC24, Convex, Semi-Blackout, Dripproof, Mechanical Dimmer [CUST: CR AS 99 IS]	A	6210		IS	24-JUL-2006
M	MIL-L-3661/26A NOT 3	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENS, STYLE LC26 [CUST: CR AS 99 IS]	A	6210		IS	24-JUL-2006
M	MIL-L-3661/28B NOT 2	Lampholders, Indicator Lights, Indicator-Light Housings, and Indicator-Light Lenses, (Electromagnetic Interference Type) Dustlight Lenses, Style LC28 [CUST: CR4 AS 99 IS]	A	6210		IS	24-JUL-2006
M	MIL-L-3661/30A NOT 3	Lenses, Indicator-Light, Style LC30 [CUST: CR AS 11 IS]	A	6210		IS	24-JUL-2006
M	MIL-L-3661/31 NOT 3	Lenses, Indicator-Light, Style LC31 [CUST: CR AS 11 IS]	A	6210		IS	24-JUL-2006
M	MIL-L-3661/32A NOT 3	Lenses, Indicator-Light, (Rotatable), Style LC32 [CUST: CR AS 11 IS]	A	6210		IS	24-JUL-2006
M	MIL-L-3661/34B NOT 3	Lampholders, Indicator Lights, Indicator-Light Housings, and Indicator-Light (Plastic Plate Lighting Panel) Dusttight Lens, Style LC34 [CUST: CR AS 99 IS]	A	6210		IS	24-JUL-2006
M	MS52126A NOT 2	Composite Light Front, Turn, Park and Marker [CUST: AT IS]	A	6220		IS	24-JUL-2006
M	QPL-3971-46	Meters, Time Totalizing, Non-Hermetically Sealed, Electrical: General Specification	A	6645		GS1	20-JUL-2006
M	AA-F-363D(2)	Filing Cabinet, Security, Maps and Plans, General Filing, and Storage [CUST: AR YD 99] [REVIEW: IS]	A	7110	*	YD	24-MAY-2006
M	AA-C-2786(1)	Cabinet, Security, Information Processing System Storage, Class 5	A	7110	#	FSS	24-MAY-2006
M	AA-C-2859(1)	Cabinet, Security, Weapons Storage [CUST: AR YD 99] [REVIEW: IS]	A	7110	*	YD	24-MAY-2006
M	QPL-64159-10(1)	Coating, Water Dispersible Aliphatic Polyurethane, Chemical Agent Resistant	A	8010		MR	28-JUL-2006
M	QPL-24179-26	Adhesive, Flexible Unicellular-Plastic Thermal Insulation	A	8040		SH	28-JUL-2006
N	MIL-DTL-3628/239	Badge, Identification, Air Staff, Air Force [CUST: IH 11] [REVIEW: 99 CT]	A	8455		IH	25-JUL-2006
N	MIL-DTL-11589/600	Ribbon, NOAA Corps Outstanding Volunteer Service Medal, National Oceanic and Atmospheric Administration [CUST: IH] [REVIEW: CT]	A	8455		IH	03-JUN-2006
M	QPL-63460-32	Lubricant, Cleaner and Preservative for Weapons and Weapons Systems	A	9150		AR	28-JUL-2006
M	MIL-DTL-5541F	Chemical Conversion Coatings on Aluminum and Aluminum Alloys [CUST: MR AS 11] [REVIEW: 71 99 AR AV CR CR4 MI OS SH YD]	A	MFFP		AS	11-JUL-2006
M	ASTM-F1321	Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Standard Guide For [CUST: AV SH 99] [REVIEW: 01 10 16 19 94 AS CG CM DC5 EC GS7 IE MI MR NP NS PT SE SO TM2]	A	MISC		SH	27-JUL-2006
M	SAWE-RP14	Weight Estimating and Margin Manual For Marine Vehicles [CUST: AV SH 99] [REVIEW: 01 10 16 19 94 AS CG CM DC5 EC GS7 IE MI MR NP NS PT SE SO TM2]	A	MISC		SH	27-JUL-2006

INACTIVE SECTION

DODISS NOTICE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS24368A NOT 3	Rim Contours, 56 X 1 AND 49 X 17, Type VII, Extra High Pressure, MLG Wheel [CUST: 99] [REVIEW: GS]	A	1630	70		27-JUL-2006
M	MS24369A NOT 3	Rim Contour - 30X8.8, Type VII, Extra High Pressure, Main Landing Gear Wheel [CUST: 99] [REVIEW: GS]	A	1630	70		27-JUL-2006
M	MS24370B NOT 3	Rim Contours-24 X 5.5, 22 X 5.5, 20 X 5.5 and 18 X 5.5, Type VII, Extra High Pressure, Landing Gear Wheel [CUST: AV AS 99] [REVIEW: GS MC]	A	1630	70		27-JUL-2006
M	MIL-C-19978/12B NOT 1	Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric, Axial-Wire Terminal, Tubular (Insulated), (Hermetically Sealed in Metal Cases), Established Reliability, Style CQR19 [CUST: CR EC 11 CC] [REVIEW: AR AS AT AV MC MI OS SH TD]	A	5910	CC		01-AUG-2006
M	MIL-C-19978/16B NOT 1	Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric, Axial-Wire Terminal, Tubular (Insulated) (Hermetically Sealed in Metal Cases), Established Reliability, Style CQR39 [CUST: CR EC 11 CC] [REVIEW: AR AS AT AV MC MI OS SH]	A	5910	CC		01-AUG-2006
M	MIL-C-19978/17B NOT 1	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED), (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR42 [CUST: CR EC 11 CC] [REVIEW: AR AS AT AV MC MI OS SH]	A	5910	CC		01-AUG-2006
M	MIL-R-39016/32F	Relays, Electromagnetic, DPDT, Low Level To 2 Amperes (Latching) [CUST: CR EC 11 CC] [REVIEW: 99 AR AT AV CR4 MI OS SH]	A	5945	CC		31-JUL-2006
M	MIL-R-39016/34F	Relays, Electromagnetic, DPDT, Low Level to 1.0 Ampere, (0.100-Inch Terminal Spacing) [CUST: CR EC 11 CC] [REVIEW: AR AS AT AV CR4 OS SH]	A	5945	CC		31-JUL-2006
M	MIL-R-39016/39F	Relays, Electromagnetic, Hermetically Sealed, 4PDT, Low-Level To 3 Amperes (400 Milliwatts) [CUST: CR EC 11 CC] [REVIEW: 99 AR AT AV CR4 MI SH]	A	5945	CC		31-JUL-2006
M	MIL-S-19500/37E NOT 1	Semiconductor Device, Transistor, NPN, Silicon, Low-Power Types 2N333, 2N335, 2N336, 2N333A, 2N335A, 2N336A, 2N333T2, 2N335T2, 2N336T2, 2N333LT2, 2N335LT2, 2N336LT2, 2N333AT2, 2N335AT2, 2N336AT2, 2N333ALT2, 2N335ALT2, and 2N336ALT2, JAN [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI]	A	5961	CC		25-JUL-2006
M	MIL-DTL-83425A	Earcup, Sound Protective MX-8376/AR [CUST: 11 CC] [REVIEW: 99]	A	5965	CC		30-JUN-2006

CANCELED SECTION

DODISS NOTICE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-T-81714E SUP 1 NOT 1	Terminal Junction System (TJS), Environment Resistant General Specification for (S/S by SAE-AS81714) [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/1F NOT 2	Terminal Junction System, Terminal Junction Blocks, Sectional, Bussing Modules, Feedback Type, Size 22, Series I (S/S by SAE-AS81714/1) [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/2F NOT 2	Terminal Junction System, Terminal Junction Blocks, Sectional, Bussing Modules, Feedback Type, Size 20, Series I (S/S by SAE-AS81714/2) [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/3F NOT 2	Terminal Junction System Terminal Junction Blocks, Sectional Bussing Modules, Feedback Type, Size 16 (S/S by SAE-AS81714/3) [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/4F(2) NOT 2	Terminal Junction System, Terminal Junction Blocks, Sectional, Bussing Modules, Feedback Type, Size 12, Series I (S/S by SAE-AS81714/4) [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2096
M	MIL-T-81714/5F NOT 2	Terminal Junction System, Rack Assembly, Track Feedback Type, Series I(S/S by SAE-AS81714/5) [CUST: CR AS 11] [REVIEW: AR AT AV EC GS MI OS]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/6F NOT 2	Terminal Junction System, Terminal Junction Blocks, Sectional, Bussing Modules, Feedthru Type, Size 22, Series I(S/S by SAE-AS81714/6) [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/7F NOT 2	Terminal Junction System, Terminal Junction Blocks, Sectional, Bussing Modules, Feedthru Type, Size 20 (S/S By SAE-AS81714/7) [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/8F NOT 2	Terminal Junction System, Terminal Junction Blocks, Sectional, Bussing Modules, Feedthru Type, Size 16, Series (S/S by SAE-AS81714/8) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUN-2006
M	MIL-T-81714/9F NOT 2	Terminal Junction System, Terminal Junction Blocks, Sectional, Bussing Modules, Feedthru Type, Size 12, Series I (S/S by SAE-AS81714/9) [CUST: CR AS 11 CC] [REVIEW: 99 AT AV EC GS MI OS]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/10F NOT 1	Terminal Junction System, Rack, Assembly, Track, Feedthru Type, Series I (S/S by SAE-AS81714/10) [CUST: CR AS 11] [REVIEW: AT AV EC GS MI OS]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/11F NOT 2	Terminal Junction System Terminal Junction Blocks, Sectional, Wire In- Line Junctions, Single Series I (S/S by SAE-AS81714/11) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/12C NOT 2	Terminal Junction System Terminal Junction Blocks, Sectional, Wire In-Line Junctions, Double Series I (S/S by SAE-AS81714/12) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/14C NOT 1	Terminal Junction System, Rack Assembly, Track, Feedthru Type, Light Weight, Series I (S/S by SAE-AS81714/14) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/15C NOT 1	Terminal Junction System, Grounding Stud, Series (S/S by SAE-AS81714/15) [CUST: CR AS] [REVIEW: 99 AR AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/16E NOT 1	Terminal Junction System, Rack Assembly, Track, Feedback Type, Light Weight, Series I (S/S by SAE-AS81714/16) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/17C NOT 1	Terminal Junction System, Terminal Junction Blocks, Sectional, Bussing Modules, Feedback Type, Size 22D, Series I (S/S by SAE-AS81714/17) [CUST: AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/18B NOT 1	Terminal Junction System, Terminal Junction Blocks, Sectional, Modules, Electronic, Feedback Type Size 20 Series I (S/S by SAE-AS81714/18) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/19B NOT 1	Terminal Junction System, Terminal Junction Blocks, Sectional, Modules, Electronic, Feedback Type, Size 16, Series I (S/S by SAE-AS81714/19) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/20B NOT 1	Terminal Junction System, Terminal Junction Blocks, Sectional, Modules, Electronic, Feedback Type, Size 12, Series I (S/S by SAE-AS81714/20) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/21B NOT 1	Terminal Junction System, Terminal Junction Blocks, Electronic, In-Line Junction, Integral Diode, Series I (S/S by SAE-AS81714/21) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/22B NOT 1	Terminal Junction System, Terminal Junction Blocks, Electronic, In-Line Junction Integral Resistor Series I (S/S by SAE-AS81714/22) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/23B NOT 1	Terminal Junction System, Terminal Junction Blocks, Electronic, In-Line Junctions, Integral Fuse, Series I (S/S by SAE-AS81714/23) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/24B NOT 1	Terminal Junction System, Terminal Junction Blocks, Sectional, Electronic, In-Line Junctions, Double, Integral Diode(s), Series I (S/S by SAE-AS81714/24) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/25B NOT 1	Terminal Junction System, Terminal Junction Blocks, Sectional, Modules, Electronic, Feedback Type, Size 20-1, Series I (S/S by SAE-AS81714/25) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/26B NOT 1	Terminal Junction System, Terminal Junction Blocks, Sectional, Modules, Electronic, Feedback Type, Size 20-2, Series I (S/S by SAE-AS81714/26) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/27B NOT 1	Terminal Junction System, Terminal Junction Blocks, Sectional, Grounding Modules, Stud Type Mounting Series I (S/S by SAE-AS81714/27) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/28B NOT 1	Terminal Junction System, Terminal Junction Blocks, Grounding Modules, Integral Bracket Mounting, Series I (S/S by SAE-AS81714/28) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/29C NOT 1	Terminal Junction System, Bracket, Block Mounting, Series I (S/S by SAE-AS81714/29) [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/30B NOT 1	Terminal Junction System, Terminal Junction Blocks, Sectional, Modules, Electronic, Feedback Type, Sizes 20-3, 20-4, 20-5 Vertical Mounting with Integral Bracket Series I (S/S by SAE-AS81714/30) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/31B NOT 1	Terminal Junction System, Terminal Junction Blocks, Electronic, Modules, Feedback Type, Sizes 20 -6, 20-7, 20-8 Horizontal Mounting with Integral Bracket, Series I (S/S by SAE-AS81714/31) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/60A NOT 2	Terminal Junction System, Terminal Junction Blocks, Sectional, Bussing Modules, Feedback Type, Series II (S/S by SAE-AS81714/60) [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS OS SH]	A	5940	AS		10-JUL-2006
M	MIL-T-81714/61A NOT 3	Terminal Junction System, Terminal Junction Blocks, Sectional, Bussing Modules, Feedback Type, Series II (S/S by SAE-AS81714/61) [CUST: CR AS 11 GS2] [REVIEW: 99 AT AV EC GS OS SH]	A	5940	AS		10-JUL-2006

CANCELED SECTION

DODISS NOTICE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-T-81714/63(1) NOT 2	Terminal Junction System, Terminal Junction Blocks, Sectional, Grounding Modules, Stud And Flange Type Mounting, Series II (S/S by SAE-AS81714/63) [CUST: CR AS 11] [REVIEW: 99 AT AV EC GS OS SH]	A	5940		AS	10-JUL-2006
M	MIL-T-81714/65(1) NOT 4	Terminal Junction System, Terminal Junction Blocks, Sectional, Wire In-Line Junctions Series II (S/S by SAE-AS81714/65) [CUST: CR AS 11] [REVIEW: AT AV EC GS OS SH]	A	5940		AS	10-JUL-2006
M	MIL-T-81714/67(1) NOT 2	Terminal Junction System, Rack Assembly, Track, Feedback Type, Series II (S/S by SAE-AS81714/67) [CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS OS SH]	A	5940		AS	10-JUL-2006
M	MIL-T-81714/69 NOT 3	Terminal Junction System, Block Removal Tools, Series II (S/S by SAE-AS81714/69) [CUST: CR AS 11 GS2] [REVIEW: 99 AT AV EC GS OS SH]	A	5940		AS	10-JUL-2006
M	QPL-81714-12 NOT 1	Terminal Junction System (TJS), Environment Resistant, General Specification for (S/S by QPL-AS81714)	A	5940		AS	10-JUL-2006
M	MIL-DTL-5589E NOT 1	Earphone, (Extended Range), H-301/U (No S/S Document) [CUST: CR EC 11 CC] [REVIEW: 99 MI]	A	5965		CC	14-JUL-2006
M	W-B-131M(1) NOT 2	Battery, Storage (Vehicular, Ignition, Lighting and Starting) (S/S by A-A-55439) [CUST: GS2]	A	6140	/	GS2	25-JUL-2006
M	QIC-80-MC	Disk-Flexible-Controller-Compatible Recording Format For Information Interchange 0.250 IN. (6.35 MM) Tape 28 Tracks, Data Density: 14,700 BPI (579 BPMM) MFM Encoded Formated Capacity: 120 Mbytes (With DC2120 Or Equivalent Minicartridge) 80 Mbytes (With DC2080 Or Equivalent Minicartridge (No S/S Document) [CUST: CC]	A	8455		CC	27-JUL-2006